


396-001290 John Deere 1770/1775NT 60 Ft - 24 Row Hitch Mounted Tank Instructions

Planter Manufacturer:




Kit Number: 530-01-150500: 500 Gallon Elliptical Tank Kit 530-01-150550: 600 Gallon Elliptical Tank Kit 530-01-150600: 750 Gallon Elliptical Tank Kit





Parts List and Exploded View Kit Number: 530-01-150500 (500 Gal)


| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. |
|----------|-----------------------|---|------|
| 1 | 300-060012-5 | 3/8" x 3/4" Hex Head Bolt - G5 | 2 |
| 2 | 300-100108-5 | 5/8" x 1-1/2" Hex Head Bolt - G5 | 12 |
| 3 | 323-06 | 3/8" Flange Nut | 2 |
| 4 | 323-10 | 5/8" Flange Nut | 12 |
| 5 | 330-10 | 5/8" Flat Washer | 12 |
| 6 | 380-1067 | 3/4" U-Bolt Kit - Fits 8"x16" tube | 4 |
| 7 | 421-1329A2-GN | 500 Gallon Elliptical Cradle, Green | 1 |
| 8 | 421-3136Y1-GN | 22" John Deere Hitch Mount Pedestal | 2 |
| 9 | 422-2678Y1-GN | Bracket for Vacuum Gauge on JD Planters | 1 |
| 10 | 525-3000 | 3" Tank Strap Kit for 400-1000 Gallon | 3 |
| 11 | 727-01-HE0500-57-OS-Y | Elliptical Tank - 500 Gal - Yellow | 1 |
| 12 | 521-00-100255 | John Deere CCS Gauge Extension Assembly | 1 |





Parts List and Exploded View Kit Number: 530-01-150550 (600 Gal)

| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. |
|----------|--------------------|---|------|
| 1 | 300-060012-5 | 3/8" x 3/4" Hex Head Bolt - G5 | 2 |
| 2 | 300-100108-5 | 5/8" x 1-1/2" Hex Head Bolt - G5 | 18 |
| 3 | 323-06 | 3/8" Flange Nut | 2 |
| 4 | 323-10 | 5/8" Flange Nut | 18 |
| 5 | 330-10 | 5/8" Flat Washer | 18 |
| 6 | 380-1067 | 3/4" U-Bolt Kit - Fits 8"x16" tube | 4 |
| 7 | 421-4105Y1-GN | 400 Gallon Elliptical Cradle, Green | 1 |
| 8 | 421-2424Y2 | 20" 600-750 Gallon Tank Pedestal | 2 |
| 9 | 422-2678Y1 | Bracket for Vacuum Gauge on JD Planters | 1 |
| 10 | 525-750 | 3" Tank Strap Kit for 600/750 Gallon | 3 |
| 11 | 727-01-HE0600-CS-Y | Elliptical Tank - 600 Gal - Yellow | 1 |
| 12 | 521-00-100255 | John Deere CCS Gauge Extension Assembly | 1 |




Page 3 © 2015 SureFire Ag Systems, Inc.



Parts List and Exploded View Kit Number: 530-01-150600 (750 Gal)


| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. |
|----------|-----------------------|---|------|
| 1 | 300-060012-5 | 3/8" x 3/4" Hex Head Bolt - G5 | 2 |
| 2 | 300-100108-5 | 5/8" x 1-1/2" Hex Head Bolt - G5 | 18 |
| 3 | 323-06 | 3/8" Flange Nut | 2 |
| 4 | 323-10 | 5/8" Flange Nut | 18 |
| 5 | 330-10 | 5/8" Flat Washer | 18 |
| 6 | 380-1067 | 3/4" U-Bolt Kit - Fits 8"x16" tube | 4 |
| 7 | 421-2364Y1-GN | 750 Gallon Elliptical Cradle, Green | 1 |
| 8 | 421-2424Y1-GN | 20" 600-750 Gallon Tank Pedestal | 2 |
| 9 | 422-2678Y1 | Bracket for Vacuum Gauge on JD Planters | 1 |
| 10 | 525-725 | 3" Tank Strap Kit for 600/750 Gallon | 3 |
| 11 | 727-01-HE0750-69-OS-Y | Elliptical Tank - 750 Gal - Yellow | 1 |
| 12 | 521-00-100255 | John Deere CCS Gauge Extension Assembly | 1 |



Page 4 © 2015 SureFire Ag Systems, Inc.



Step by Step Instructions



General Tank Mounting Instructions:


*It is recommended to remove existing vacuum gauge prior to tank installation and installation of new vacuum gauge bracket. See Page 9 for further instructions.

- 1. Position support stands per planter model on the following drawings. Loosely attach support stand with 3/4" u-bolts.
- 2. Place tank cradle on support stands. Bolt loosely with 5/8" bolts. (*Tip: 500 gallon tank cradle can be mounted with sump forward or rearward.*)
- 3. Install tank and secure with straps. (This step may have already been completed)
- 4. Inspect tank and tank brackets for interference and tighten all bolts.
- 5. Tighten straps again after the tank has been filled.


NOTE: REFER TO THE FOLLOWING PAGES FOR SPECIFIC INSTALLATION GUIDES.



500 Gallon Tank Installation Guide




JD1770NT 24R30 -With Refuge Tank, No markers




JD1770NT 24R30 -NO Refuge Tank, w/ or w/o markers

396-001290– John Deere 60' Front Fold Planter Tank Mount Page 6 © 2015 SureFire Ag Systems, Inc. Revised: 9/30/2019



JD1770NT 24R30 - 600 Gallon -NO Refuge Tank, w/ or w/o markers

Front of Implement



JD1770NT 24R30 - 750 Gallon -NO Refuge Tank, w/ or w/o markers

396-001290– John Deere 60' Front Fold Planter Tank Mount Page 7 © 2015 SureFire Ag Systems, Inc. Revised: 9/30/2019



Optional Vacuum Gauge Bracket Installation Instructions

The CCS vacuum gauge must be moved so it can be seen with the tank installed. Instructions:

- 1. Remove gauge from current mount (easiest before tank is installed)
- 2. Mount 422-2678Y1 gauge bracket to tank cradle using 3/8" bolts and flange nuts.
- 3. Extend vacuum hose to new gauge location using 1/4" hose mender and 3/8" OD poly tubing, Part Number 521-00-100255.
- 4. Mount vacuum gauge to new bracket using existing hardware.

